

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3211	(340/989,995.1 701/208,213 342/357).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:25
L2	84	1 and ((load\$3 down-load\$3 download\$3 up-load\$3 upload\$3 transmit\$4 send\$3 transfer\$4 stor\$3) with (map model plan) with (server) with (client portable handheld hand-held wireless wire-less lap-top laptop PDA))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:25
L3	18	2 and ((client portable handheld hand-held wireless wire-less lap-top laptop PDA) with (fix\$3 station\$4) with (position location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:25
L4	0	2 and ((compar\$4) with (measur\$6 actual) with (result location position data info information) with (predict\$3 simulat\$3 guess\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 10:25
S1	5602	(345/734 345/736 345/848 345/853 345/969 "703"/\$).ccls.	USPAT	OR	ON	2004/09/25 10:51
S2	4	((345/734 345/736 345/848 345/853 345/969 "703"/\$).ccls.) and ((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map) with (server) with (client portable PDA palm laptop lap-top "lap top"))	USPAT	OR	ON	2004/09/25 10:55
S3	4	((345/734 345/736 345/848 345/853 345/969 "703"/\$).ccls.) and ((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	OR	ON	2004/09/25 10:57

S4	101	((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	OR	ON	2004/09/25 10:58
S5	13	((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan) with (communication tele-communication telecommunication "tele communication") with (network system) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	OR	ON	2004/09/25 11:09
S6	81	((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design) with (communication tele-communication telecommunication "tele communication" network system building environment) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	OR	ON	2004/09/25 11:17

S7	0	(((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design) with (communication tele-communication telecommunication "tele communication" network system building environment) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and (((predict\$3 simulat\$3) with (performance result) with (plan map model floor-plan network system building environment)))	USPAT	OR	ON	2004/09/25 11:11
S8	16	(((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design) with (communication tele-communication telecommunication "tele communication" network system building environment) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and (((predict\$3 simulat\$3) with (plan map model floor-plan network system building environment)))	USPAT	OR	ON	2004/09/25 11:22

S9	121	(server with (download\$3 load\$3 stor\$3 down-load\$3 send\$3 generat\$3 creat\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design simulat\$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	OR	ON	2004/09/25 11:19
S10	425	(server with (download\$3 load\$3 stor\$3 down-load\$3 send\$3 generat\$3 creat\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design simulat\$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/09/25 11:20

S11	0	((server with (download\$3 load\$3 stor\$3 down-load\$3 send\$3 generat\$3 creat\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design simulat\$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((run\$4 simulat\$3) with (plan map model floor-plan design) with (predict\$3 optimiz\$6) with (output result perform\$5)))	USPAT	OR	ON	2004/09/25 11:25
S12	13	((server with (download\$3 load\$3 stor\$3 down-load\$3 send\$3 generat\$3 creat\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design simulat\$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((run\$4 simulat\$3) with (plan map model floor-plan design) with (predict\$3 optimiz\$6) with (output result perform\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/09/25 11:26

S13	26	((server with (download\$3 load\$3 stor\$3 down-load\$3 send\$3 generat\$3 creat\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design simulat\$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((run\$4 simulat\$3 optimiz\$6 predict\$3) with (plan map model floor-plan design network building environment space site) with (output result perform\$5))	USPAT	OR	ON	2004/09/25 11:30
S14	23	"site planner" siteplanner site-planner	USPAT	OR	ON	2004/09/25 11:37
S15	2511	(predict\$3 simulat\$3) with (coverage result output perform\$5) with (map model design plan\$4) with (environment network site system building floor floor-plan space)	USPAT	OR	ON	2004/09/25 11:39
S16	4925	(predict\$3 analy\$4 study\$3 simulat\$3) with (coverage result output perform\$5) with (map model design plan\$4) with (environment network site system building floor floor-plan space)	USPAT	OR	ON	2004/09/25 11:40
S17	5925	(predict\$3 analy\$4 optimiz\$6 study\$3 simulat\$3) with (coverage result output perform\$5) with (map model design plan\$4) with (environment network site system building floor floor-plan space)	USPAT	OR	ON	2004/09/25 11:43
S18	18	(predict\$3 analy\$4 optimiz\$6 study\$3 simulat\$3) with (coverage result output perform\$5) with (map model design plan\$4) with (environment network site system building floor floor-plan space) with server with (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	OR	ON	2004/09/25 11:45

S19	607	(predict\$3 analy\$4 optimiz\$6 study\$3 simulat\$3) with (coverage result output perform\$5) with (map model plan blueprint blue-print "blue print") with (environment site building floor floor-plan space)	USPAT	OR	ON	2004/09/25 11:44
S20	12	((predict\$3 analy\$4 optimiz\$6 study\$3 simulat\$3) with (coverage result output perform\$5) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (map model plan blueprint blue-print "blue print") with (environment site building floor floor-plan space)) and server and (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	OR	ON	2004/09/25 11:56
S21	98	(predict\$3 analy\$4 optimiz\$6 study\$3 simulat\$3) with (coverage result output perform\$5) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (map model plan blueprint blue-print "blue print") with (environment site building floor floor-plan space)	USPAT	OR	ON	2004/09/25 11:56
S22	635	("auto cad" auto-cad "CAD") with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site)	USPAT	OR	ON	2004/09/25 12:00
S23	78	((("auto cad" auto-cad "CAD") with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site)) and server and (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	OR	ON	2004/09/25 12:02

S24	36	((("auto cad" auto-cad "CAD") with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site)) and server and (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)) and ((predict\$3 study\$3 analyz\$5 simulat\$3 optimiz\$5 run\$4) with (model design map blueprint blue-print "blue print" plan\$4) with (output perform\$5 result coverage))	USPAT	OR	ON	2004/09/25 12:01
S25	561	("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))	USPAT	OR	ON	2004/09/25 12:01
S26	124	((("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict\$3 study\$3 analyz\$5 simulat\$3 optimiz\$5 run\$4) with (model design map blueprint blue-print "blue print" plan\$4) with (output perform\$5 result coverage))	USPAT	OR	ON	2004/09/25 12:02

S27	25	((("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict\$3 study\$3 analyz\$5 simulat\$3 optimiz\$5 run\$4) with (model design map blueprint blue-print "blue print" plan\$4) with (output perform\$5 result coverage))) and server and (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	OR	ON	2004/09/25 12:02
S28	99	((("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict\$3 study\$3 analyz\$5 simulat\$3 optimiz\$5 run\$4) with (model design map blueprint blue-print "blue print" plan\$4) with (output perform\$5 result coverage))) not (((("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict\$3 study\$3 analyz\$5 simulat\$3 optimiz\$5 run\$4) with (model design map blueprint blue-print "blue print" plan\$4) with (output perform\$5 result coverage))) and server and (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable))	USPAT	OR	ON	2004/09/25 12:02
S29	8	("5825480" "5944768" "6011494" "6016606" "6083353" "6151552" "6256578" "6324469").PN.	USPAT	OR	ON	2004/09/27 09:24

S30	0	((("5825480" "5944768" "6011494" "6016606" "6083353" "6151552" "6256578" "6324469").PN.) and (server) and (client portable hand-held PDA palm PIM "handheld" "hand held"))	USPAT	OR	ON	2004/09/27 09:27
S31	2	((345/848 345/734 345/738 345/853).ccls. and ((portable PDA PIM handheld hand-held palm "hand held") with (download\$3 down-load\$3 updat\$3 communicat\$3 shar\$3 load\$3 stor\$3 modify\$3) with (map model plan floor-plan)))	USPAT	OR	ON	2004/09/27 09:31
S32	46	((portable PDA PIM handheld hand-held palm "hand held") with (download\$3 down-load\$3 updat\$3 communicat\$3 shar\$3 load\$3 stor\$3 modify\$3) with (map model plan floor-plan) with server)	USPAT	OR	ON	2004/09/27 09:32
S41	2	((download\$3 down-load\$3 load\$3 up-load\$3 upload\$3 stor\$3) with (plan model representation map) with (server) with (client)) and (measur\$5 with (location position\$2) with (client portable) with (server) with (transfer\$4 send\$3 load\$3 communicat\$3))	USPAT	OR	ON	2005/05/10 08:22
S42	0	((download\$3 down-load\$3 load\$3 up-load\$3 upload\$3 stor\$3) with (plan model representation map) with (area floor environment) with (server) with (client)) and (measur\$5 with (location position\$2) with (client portable) with (server) with (transfer\$4 send\$3 load\$3 communicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:28

S43	3	((download\$3 down-load\$3 load\$3 up-load\$3 upload\$3 stor\$3) with (plan floorplan floor-plan blueprint blue-print "blue print" model representation map) with (area floor environment building network) with (server) with (client portable handheld hand-held PDA laptop lap-top)) and (measur\$5 with (location\$2 position\$2) with (client portable handheld hand-held PDA laptop lap-top) with (server) with (transfer\$4 send\$3 sent load\$3 communicat\$3 upload\$3 up-load\$3 download\$3 down-load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:32
S44	69	((download\$3 down-load\$3 load\$3 up-load\$3 upload\$3 stor\$3) same (plan floorplan floor-plan blueprint blue-print "blue print" model representation map) same (area floor environment building network) same (server) same (client portable handheld hand-held PDA laptop lap-top)) and (measur\$5 same (location\$2 position\$2) same (client portable handheld hand-held PDA laptop lap-top) same (server) same (transfer\$4 send\$3 sent load\$3 communicat\$3 upload\$3 up-load\$3 download\$3 down-load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:53
S45	66	S44 not S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:33
S46	3	("5940803" "6119095" "6141609").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 08:45

S47	0	((download\$3 down-load\$3 load\$3 up-load\$3 upload\$3 stor\$3) with (plan floorplan floor-plan blueprint blue-print "blue print" model representation map design) with (area floor environment building network) with (server) with (client portable handheld hand-held PDA laptop lap-top)) and ((tak\$3 perform\$3) with measur\$5 with (client portable handheld hand-held PDA laptop lap-top) with (server) with (transfer\$4 send\$3 sent load\$3 communicat\$3 upload\$3 up-load\$3 download\$3 down-load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:56
S48	33	((download\$3 down-load\$3 load\$3 up-load\$3 upload\$3 stor\$3) with (plan floorplan floor-plan blueprint blue-print "blue print" model representation map design) with (area floor environment building network) with (server) with (client portable handheld hand-held PDA laptop lap-top)) and (measur\$5 with (client portable handheld hand-held PDA laptop lap-top) with (server) with (transfer\$4 send\$3 sent load\$3 communicat\$3 upload\$3 up-load\$3 download\$3 down-load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 10:59
S49	13	("20030016804" "5307074" "5745866" "6133853" "6266615" "6314365" "6353798" "6366782" "6366856" "6430498" "6490521" "6519466" "6735520").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 12:22
S50	247	(load\$3 download\$3 down-load\$3 upload\$3 up-load\$3 transfer\$4 copy\$3) with (map model floorplan floor-plan blue-print blueprint "floor plan" "blue print" representation schematic CAD design) with (area location environment building network) with server with (client PDA handheld hand-held portable laptop lap-top)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 12:25

S51	277	(load\$3 download\$3 down-load\$3 upload\$3 up-load\$3 transfer\$4 copy\$3) with (map model floorplan floor-plan blue-print blueprint "floor plan" "blue print" representation schematic CAD design) with (area location environment building network site work-site) with server with (client PDA handheld hand-held portable laptop lap-top)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 12:26
S52	24	S51 and (measur\$6 with (map model floorplan floor-plan blue-print blueprint "floor plan" "blue print" representation schematic area location environment building network site work-site) with (client PDA handheld hand-held laptop lap-top portable))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 12:28
S53	10	S52 and ((load\$3 download\$3 down-load\$3 upload\$3 up-load\$3 transfer\$4 transmit\$4 copy\$3) with (measur\$6) with (server) with (client PDA handheld hand-held laptop lap-top portable))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/10 12:29
S54	1	"6266615".pn. and (input\$4 chang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:50
S55	0	"6266615".pn. and (track\$3)	USPAT	OR	ON	2005/05/11 16:31
S56	1	"6266615".pn. and (realtime real-time "real time")	USPAT	OR	ON	2005/05/11 16:31
S57	7919	(715/733,853,964 709/223,224). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 07:28
S58	1923	S57 and ((download\$3 down-load\$3 upload\$3 up-load\$3 load\$3 transfer\$4 transmit\$4 send\$3) with server with (client PDA portable handheld hand-held laptop lap-top))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 07:30

S59	119	S57 and ((download\$3 down-load\$3 upload\$3 up-load\$3 load\$3 transfer\$4 transmit\$4 send\$3) with server with (client PDA portable handheld hand-held laptop lap-top) with (map model plan floor-plan floorplan schematic representation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 10:37
S60	1	"6266615".pn. and (display\$3 with (location\$3 position\$3 measur\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:17
S61	1	"6266615".pn. and (stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:39
S62	0	"6266615".pn. and (fix\$3 static)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:39